



SECTION 2. FORMS PTO/SB/08A and 08B (formerly Form PTO-1449)

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Kamen et al.

Atty. Docket: 1062/D02

Serial No.: 10/616,025

Art Unit: 3652

Date Filed: July 9, 2003

Examiner: N/A


Invention: Self-Balancing Ladder and Camera Dolly



| Ref. No. | U.S. Patent No. | Inventor | Issue Date | Ref. No. in U.S.S.N. 09/325,976 {Atty. B99} | See Sec. 1 | Exam. Init. |
|----------|-----------------|-------------------|---------------|---|------------|-------------|
| AA | 584,127 | Draullette et al. | June 8, 1897 | ET | | |
| AB | 849,270 | Schafer et al. | Apr. 2, 1907 | AA | | |
| AC | 2,742,973 | Johannesen, H. | Apr. 24, 1956 | AB | | |
| AD | 3,145,797 | Taylor | Aug. 25, 1964 | AC | | |
| AE | 3,260,324 | Suarez | July 12, 1966 | AD | | |
| AF | 3,283,398 | Andren | Nov. 8, 1966 | AE | | |
| AG | 3,288,234 | Feliz, J. | Nov. 29, 1966 | AF | | |
| AH | 3,348,518 | Forsyth et al. | Oct. 24, 1967 | AG | | |
| AI | 3,374,845 | Selwyn, D. | Mar. 26, 1968 | AH | | |
| AJ | 3,399,742 | Malick | Sept. 3, 1968 | AI | # | |
| AK | 3,450,219 | Fleming, J. | June 17, 1969 | AJ | | |
| AL | 3,446,304 | Alimanestiano | May 1969 | | | |
| AM | 3,515,401 | Gross, E. | June 2, 1970 | AK | | |
| AN | 3,580,344 | Floyd | May 25, 1971 | AL | | |
| AO | 3,596,298 | Durst, Jr. | Aug. 3, 1971 | AM | | |
| AP | 3,860,264 | Douglas et al. | Jan. 14, 195 | AN | | |
| AQ | 3,872,945 | Hickman et al. | Mar. 25, 1975 | AO | | |
| AR | 3,952,822 | Udden et al. | Apr. 27, 1976 | AP | | |
| AS | 4,018,440 | Deutsch | Apr. 19, 1977 | AQ | | |
| AT | 4,062,558 | Wasserman | Dec. 13, 1977 | AR | | |



| Ref. No. | U.S. Patent No. | Inventor | Issue Date | Ref. No. in U.S.S.N. 09/325,976 {Atty. B99} | See Sec. 1 | Exam. Init. |
|----------|-----------------|-----------------|----------------|---|------------|-------------|
| AU | 4,076,270 | Winchell | Feb. 28, 1978 | AS | | |
| AV | 4,088,199 | Trautwein | May 9, 1978 | AT | | |
| AW | 4,094,372 | Notter | June 13, 1978 | AU | | |
| AX | 4,109,741 | Gabriel | Aug. 29, 1978 | AV | | |
| AY | 4,111,445 | Haibeck | Sept. 5, 1978 | AW | | |
| AZ | 4,151,892 | Francken | May 1, 1979 | AX | | |
| BA | 4,222,449 | Feliz | Sept. 16, 1980 | AY | | |
| BB | 4,264,082 | Fouchey, Jr. | Apr. 28, 1981 | AZ | | |
| BC | 4,266,627 | Lauber | May 12, 1981 | BA | | |
| BD | 4,293,052 | Daswick et al. | Oct. 6, 1981 | BB | | |
| BE | 4,325,565 | Winchell | Apr. 20, 1982 | BC | | |
| BF | 4,354,569 | Eichholz | Oct. 19, 1982 | BD | | |
| BG | 4,363,493 | Veneklasen | Dec. 14, 1982 | BE | | |
| BH | 4,373,600 | Buschbom et al. | Feb. 15, 1983 | BF | | |
| BI | 4,375,840 | Campbell | Mar. 8, 1983 | BG | | |
| BJ | 4,510,956 | King | Apr. 16, 1985 | BH | | |
| BK | 4,560,022 | Kassai | Dec. 24, 1985 | BI | | |
| BL | 4,566,707 | Nitzberg | Jan. 28, 1986 | BJ | | |
| BM | 4,570,078 | Yashima et al. | Feb. 11, 1986 | | | |
| BN | 4,571,844 | Komasaku et al. | Feb. 25, 1986 | BK | | |
| BO | 4,624,469 | Bourne, Jr. | Nov. 25, 1986 | BL | | |
| BP | 4,657,272 | Davenport | Apr. 14, 1987 | BM | | |
| BQ | 4,685,693 | Vadjunec | Aug. 11, 1987 | BN | | |
| BR | 4,709,772 | Brunet | Dec. 1, 1987 | BO | | |
| BS | 4,716,980 | Butler | Jan. 5, 1988 | | | |
| BT | 4,740,001 | Torleumke | Apr. 26, 1988 | BP | | |
| BU | 4,746,132 | Eagan | May 24, 1988 | BQ | | |
| BV | 4,770,410 | Brown | Sept. 13, 1988 | BR | | |


| Ref. No. | U.S. Patent No. | Inventor | Issue Date | Ref. No. in U.S.S.N. 09/325,976 (Atty. B99) | See Sec. 1 | Exam. Init. |
|----------|-----------------|------------------|----------------|---|------------|-------------|
| BW | 4,786,069 | Tang | Nov. 22, 1988 | BS | | |
| BX | 4,790,400 | Sheeter | Dec. 13, 1988 | BT | | |
| BY | 4,790,548 | Decelles et al. | Dec. 13, 1988 | BU | | |
| BZ | 4,794,999 | Hester | Jan. 3, 1989 | BV | | |
| CA | 4,798,255 | Wu | Jan. 17, 1989 | BW | | |
| CB | 4,802,542 | Houston et al. | Feb. 7, 1989 | BX | | |
| CC | 4,809,804 | Houston et al. | Mar. 7, 1989 | BY | | |
| CD | 4,834,200 | Kajita | May 30, 1989 | BZ | | |
| CE | 4,863,182 | Chern | Sept. 5, 1989 | CA | | |
| CF | 4,867,188 | Reid | Sept. 19, 1989 | CB | | |
| CG | 4,869,279 | Hedges | Sept. 26, 1989 | CC | | |
| CH | 4,874,055 | Beer | Oct. 17, 1989 | CD | | |
| CI | 4,890,853 | Olson | Jan. 2, 1990 | CE | | |
| CJ | 4,919,225 | Sturges | Apr. 24, 1990 | CF | | |
| CK | 4,953,851 | Sherlock et al. | Sept. 4, 1990 | CG | | |
| CL | 4,985,947 | Ethridge | Jan. 22, 1991 | CH | | |
| CM | 4,984,754 | Yarrington | Jan. 15, 1991 | CI | | |
| CN | 4,998,596 | Miksitz | Mar. 12, 1991 | CJ | | |
| CO | 5,002,295 | Lin | Mar. 26, 1991 | CK | | |
| CP | 5,011,171 | Cook | Apr. 30, 1991 | CL | | |
| CQ | 5,052,237 | Reimann | Oct. 1, 1991 | CM | | |
| CR | 5,111,899 | Reimann | May 12, 1992 | CN | | |
| CS | 5,158,493 | Morgrey | Oct. 27, 1992 | CO | | |
| CT | 5,161,820 | Vollmer | Nov. 10, 1992 | | | |
| CU | 5,168,947 | Rodenborn | Dec. 8, 1992 | CP | | |
| CV | 5,171,173 | Henderson et al. | Dec. 15, 1992 | CQ | | |
| CW | 5,186,270 | West | Feb. 16, 1993 | CR | | |
| CX | 5,221,883 | Takenaka et al. | June 22, 1993 | CS | | |



| Ref. No. | U.S. Patent No. | Inventor | Issue Date | Ref. No. in U.S.S.N. 09/325,976 (Atty. B99) | See Sec. 1 | Exam. Init. |
|----------|-----------------|-------------------|----------------|---|------------|-------------|
| CY | 5,241,875 | Kochanneck | Sept. 7, 1993 | CT | | |
| CZ | 5,248,007 | Watkins et al. | Sep. 28, 1993 | CU | | |
| DA | 5,314,034 | Chittal | May 24, 1994 | CV | | |
| DB | 5,350,033 | Kraft | Sept. 27, 1994 | CW | | |
| DC | 5,366,036 | Perry | Nov. 22, 1994 | CX | | |
| DD | 5,376,868 | Toyoda et al. | Dec. 27, 1994 | | | |
| DE | 5,419,624 | Adler et al. | May 30, 1995 | | | |
| DF | 5,701,965 | Kamen et al. | Dec. 30, 1997 | CY | | |
| DG | 5,701,968 | Wright-Ott et al. | Dec. 1997 | | | |
| DH | 5,775,452 | Patmont | July 1998 | | | |
| DI | 5,791,425 | Kamen et al. | Aug. 11, 1998 | CZ | # | |
| DJ | 5,794,730 | Kamen | Aug. 18, 1998 | | # | |
| DK | 5,971,091 | Kamen et al. | Oct. 26, 1999 | | # | |
| DL | 5,973,463 | Okuda et al. | Oct. 26, 1999 | | | |
| DM | 5,975,225 | Kamen et al. | Nov. 2, 1999 | | # | |
| DN | 5,986,221 | Stanley | Nov. 16, 1999 | | | |
| DO | 6,003,624 | Jorgensen et al. | Dec. 21, 1999 | | | |
| DP | 6,039,142 | Eckstein et al. | Mar. 21, 2000 | | | |
| DQ | 6,050,357 | Staelin et al. | Apr. 18, 2000 | | | |
| DR | 6,059,062 | Staelin et al. | May 9, 2000 | | | |
| DS | 6,125,957 | Kauffmann | Oct 2000 | | | |
| DT | 6,131,057 | Tamaki et al. | Oct. 10, 2000 | | | |
| DU | 6,223,104 | Kamen et al. | Apr. 24, 2001 | | | |
| DV | 6,225,977 | Li | May 1, 2001 | | | |
| DW | 6,288,505 | Heinzmann et al. | Sep. 11, 2001 | | # | |
| DX | 6,302,230 | Kamen et al. | Oct. 16, 2001 | | | |

| Ref. No. | U.S. Publication No. | Inventor | Publication Date | Ref. No. in U.S.S.N. 09/325,976 (Atty. B99) | See Sec. 1 | Exam. Init. |
|----------|----------------------|-------------|------------------|---|------------|---|
| DY | US 2002/063006 A1 | Kamen et al | 30 May 2002 | | |  |

| Ref. No. | Foreign Patent No. | Applicant | Publication Date | Ref. No. in 09/325,976 (Atty. B99) | See Sec. 1 | Exam. Init. |
|----------|--------------------|---------------------------------|------------------|------------------------------------|------------|---|
| DZ | DE 2 048 593 | Deres Development | May 6, 1971 | DA | |  |
| EA | DE 298 08 091 U1 | Brecht | Oct. 10, 1998 | DB | | |
| EB | DE 298 08 096 U1 | Brecht | Oct. 8, 1998 | DC | | |
| EC | DE 31 28 112 A1 | Heid | Feb. 3, 1983 | DD | | |
| ED | DE 32 42 880 A1 | Toselli | June 23, 1983 | DE | | |
| EE | DE 3411489 A1 | Takamiya et al. | Oct. 10, 1984 | DF | | |
| EF | DE 44 04 594 A 1✓ | Wittelsberger (and translation) | Aug. 17, 1995 | | | |
| EG | DE 196 25 498 C 1✓ | Eckstein, et al. | Nov. 20, 1997 | | | |
| EH | EP 0 193 473 | Brunet | Sept. 3, 1986 | DG | | |
| EI | EP 0 537 698 A1 | Toselli | Apr. 21, 1993 | DH | | |
| EJ | EP 0 109 927 | von Rohr | July 4, 1984 | DI | | |
| EK | EP 0 958 978 A2✓ | Ghoneim et al | Nov. 24, 1999 | | | |
| EL | FR 82 04314 | Tobex | Sept. 24, 1982 | DJ | | |
| EM | FR 980 237 | Pages | May 9, 1951 | DK | | |
| EN | GB 2 139 576 A | Colpus | Nov. 14, 1984 | DL | | |
| EO | JP 59-73372 | | Apr. 25, 1984 | DM | | |
| EP | JP 61-31685 | | Feb. 26, 1986 | DN | | |
| EQ | JP 4-201793 | Furukawa (with translation) | July 22, 1992 | EV | # | |
| ER | JP 2-190277 | Toyoda (translation) | July 26, 1990 | DO | | |
| ES | JP 5-213240 | Mitsubishi (translation) | Aug. 24, 1993 | DP | | |
| ET | JP 0255580 | Takahashi (with abstract) | Dec. 17, 1985 | DQ | | |
| EU | JP 7255780 | | Mar. 1995 | DR | |  |

| Ref. No. | Foreign Patent No. | Applicant | Publication Date | Ref. No. in 09/325,976 (Atty. B99) | See Sec. 1 | Exam. Init. |
|----------|--------------------|---------------------------------------|-------------------|------------------------------------|------------|---|
| EV | JP 57-87766 | Iguchi (with abstract) | June 1982 | DS | |  |
| EW | JP 52-44933 | Shimizu (with abstract) | Oct. 1975 | DT | | |
| EX | JP 63-305082 | Santo (with abstract and translation) | Dec. 1988 | DU | | |
| EY | JP 62-12810 | Hitachi | July 10, 1985 | DV | | |
| EZ | JP 57-110569 | | | DW | | |
| FA | JP 6-171562 | Takeda | Dec. 10, 1992 | DX | | |
| FB | JP 6-105415 | Suzuki | December 21, 1994 | EU | | |
| FC | UK 152,664 | Garanzini | Feb. 16, 1922 | DZ | | |
| FD | UK 1213930 | Fleming | Nov. 25, 1970 | DY | | |
| FE | WO 86/05752 | Post | Oct. 9, 1986 | EA | | |
| FF | WO 89/06117 | Rix (with translation) | July 13, 1989 | EB | # | |
| FG | WO 96/23478 | Kamen et al. | Aug. 8, 1996 | EC | | |
| FH | WO 98/46474 ✓ | Staelin et al. | Oct. 22, 1998 | | | |
| FI | WO 00 75001 A ✓ | Deka Products LP | 14 December 2000 | | |  |
| FJ | EP 0663 313 A1 ✓ | Fujii et al. | July 19, 1995 | | | |

| Ref. No. | Non-Patent References | Ref. No. in U.S.S.N. 09/325,976 (Atty. B99) | See Sec. 1 | Exam Init. |
|----------|---|---|------------|---|
| FK | Kawaji, S., <i>Stabilization of Unicycle Using Spinning Motion</i> , <u>Denki Gakkai Ronbushu, D</u> , Vol. 107, Issue 1, Japan (1987), pp. 21-28 | ED | |  |
| FL | Schoonwinkel, A., <i>Design and Test of a Computer-Stabilized Unicycle</i> , Stanford University (1988), UMI Dissertation Services | EE | | |
| FM | Vos, D., <i>Dynamics and Nonlinear Adaptive Control of an Autonomous Unicycle</i> , Massachusetts Institute of Technology, 1989 | EF | | |
| FN | Vos, D., <i>Nonlinear Control of an Autonomous Unicycle Robot: Practical Issues</i> , Massachusetts Institute of Technology, 1992 | EG | | |

| Ref. No. | Non-Patent References | Ref. No. in U.S.S.N. 09/325,976 (Atty. B99) | See Sec. 1 | Exam Init. |
|----------|---|---|------------|---|
| FO | Koyanagi et al., <i>A Wheeled Inverse Pendulum Type Self-Contained Mobile Robot and its Posture Control and Vehicle Control</i> , The Society of Instrument and Control Engineers, Special issue of the 31 st SICE Annual Conference, Japan 1992, pp. 13-16. | EH | |  |
| FP | Koyanagi et al., <i>A Wheeled Inverse Pendulum Type Self-Contained Mobile Robot</i> , The Society of Instrument and Control Engineers, Special issue of the 31 st SICE Annual Conference, Japan 1992, pp. 51-56 | EI | | |
| FQ | Koyanagi et al., <i>A Wheeled Inverse Pendulum Type Self-Contained Mobile Robot and its Two Dimensional Trajectory Control</i> , Proceeding of the Second International Symposium on Measurement and Control in Robotics, Japan 1992, pp. 891-898. | EJ | | |
| FR | Watson Industries, Inc., Vertical Reference Manual ADS-C132-1A, 1992, pp. 3-4 | EK | | |
| FS | News article <i>Amazing Wheelchair Goes Up and Down Stairs</i> | EL | | |
| FT | Osaka et al., <i>Stabilization of unicycle</i> , Systems and Control, Vol. 25, No. 3, Japan 1981, pp. 159-166 (Abstract Only) | EM | | |
| FU | Roy et al., <i>Five-Wheel Unicycle System</i> , Medical & Biological Engineering & Computing, Vol. 23, No. 6, United Kingdom 1985, pp. 593-596 | EN | | |
| FV | Kawaji, S., <i>Stabilization of Unicycle Using Spinning Motion</i> , Denki Gakkai Ronbunshi, D, Vol. 107, Issue 1, Japan 1987, pp. 21-28 (Abstract Only). | EO | | |
| FW | Schoonwinkel, A., <i>Design and Test of a Computer-Stabilized Unicycle</i> , Dissertation Abstracts International, Vol. 49/03-B, Stanford University 1988, pp. 890-1294 (Abstract only) | EP | | |
| FX | Vos et al., <i>Dynamics and Nonlinear Adaptive Control of an Autonomous Unicycle - Theory and Experiment</i> , American Institute of Aeronautics and Astronautics, A90-26772 10-39, Washington, D.C. 1990, pp. 487-494 (Abstract only) | EQ | | |
| FY | TECKNICO'S Home Page, <i>Those Amazing Flying Machines</i> , http://www.swiftsite.com/technico | ER | | |
| FZ | Stew's Hovercraft Page, http://www.stewcam.com/hovercraft.html | ES | | |
| GA | Kanoh, <i>Adaptive Control of Inverted Pendulum</i> , Computrol, vol. 2, (1983), pp. 69-75. | A | | |
| GB | Yamafuji, <i>A Proposal for Modular-Structured Mobile Robots for Work that Principally Involve a Vehicle with Two Parallel Wheels</i> , Automation Technology, vol. 20, pp. 113-118 (1988). | B | |  |

| Ref. No. | Non-Patent References | Ref. No. in U.S.S.N. 09/325,976 (Atty. B99) | See Sec. 1 | Exam Init. |
|----------|---|---|------------|------------|
| GC | Yamafuji & Kawamura, <u>Study of Postural and Driving Control of Coaxial Bicycle</u> , Paper Read at Meeting of Japan Society of Mechanical Engineering (Series C), vol. 54, no. 501, (May, 1988), pp. 1114-21 | C | | |
| GD | Yamafuji et al., <u>Synchronous Steering Control of a Parallel Bicycle</u> , Paper Read at Meeting of Japan Society of Mechanical Engineering (Series C), vol. 55, no. 513, (May, 1989), pp. 1229-34. | D | | |
| GE | Momoi & Yamafuji, <u>Motion Control of the Parallel Bicycle-Type Mobile Robot Composed of a Triple Inverted Pendulum</u> , Paper Read at Meeting of Japan Society of Mechanical Engineering (Series C), vol. 57, no. 541, (Sep., 1991), pp. 154-159 | E | | |
| GF | Aucoin, <u>Olin Students Find Balance In Segway Project</u> , Boston Globe, April 5, 2003, p. D1. | | # | |

Examiner:

Date Considered: 5/28/04

NOTE FOR EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance AND not considered. Include copy of this form with next communication to applicant.

Examiner Signature: _____

Date Considered: _____